









index

CONCRETE SERIES





ROLLING · 26







COTTO SERIES

MATTONELLA · 32



White Clay

Paglierino

Bruciato

Rosato

Velvet Black

Anticato

WOOD SERIES

DOGHE · 38



Roble Natura





Roble Murano

CREATIVE SERIES

WILLOW · 44





Velvet Green

Velvet Blue



PALM · 50





Mediterranean

Caribbean

SHADES · 56



White Sand



T T 1

Î



Dark Sand

OZ · 62



White Clay



Mediterranean



Red Clay



Yellow Clay



Velvet Brown

Fitwall® panels are decorative coverings which can recreate textures and volumes with great realism to the eye and to the touch. Designed for covering vertical facings of walls, units and commercial and residential fittings, they can also be installed on ceilings and horizontal coverings such as non-functional decorative elements. The composition of the panels has been developed exclusively by Krion Porcelanosa Group. This material contains a large quantity of minerals, bonded with resin which incorporates recycled PET. Thanks to this composition, Fitwall® offers good safety performance in fire resistance, impermeability and low emission of volatile organic compounds.



Fitwall® panels are produced from a unique mixture of different materials. The balance between these elements is decisive for achieving the maximum performance in their use.











In their composition, Fitwall® panels incorporate a mineral load of over 50% with a high technical value, which contribute distinctive properties with regard to:

- Reduced use of resin in manufacturing.
- Improved flame retardant properties of the panel.
- Resistance and flexibility throughout the panel.



MINIMUM 3% RECYCLED CONTENT POST INDUSTRIAL AND/OR POST-CONSUMER

SCS Global Service, a leading North American independent entity in environmental certifications, has verified that Fitwall® panels contain a minimum of 3% PET in their composition, largely from recycled plastic waste, thereby demonstrating commitment to more sustainable and environmentally friendly production.

Finally, the inorganic pigments, acidic enamel and water-based dyes give Fitwall® panels a great natural appearance. Fitwall® panels have a careful aesthetic based on original creations and also present a series of attractive properties that provide them with the functionality to stop being just a decorative panel, such as impact resistance, fire resistance, repairability and non-porousness. In addition, it contributes as an acoustic insulator and protector.



Mineral composition



Light weight



Impact





Dry construction



Resistance to dry heat



Repairable








At Krion Porcelanosa Grupo, our mission is to create design products that meet the quality requirements of today's market, that are technologically advanced and that are also linked to values associated with sustainability. We understand sustainability as a rational system by which we minimize the use of resources, opting to use recycled materials and low energy consumption, offering the market durable and repairable products. We want to be a part of the chain that promotes the circular economy, basing our purpose on the research and development of new solutions.



For the manufacture of the Fitwall® panels, Krion Porcelanosa Grupo S.A.U. has committed to rational sustainability through EPUPR technology, and is a pioneer in the use of a resin with an exclusive formulation.

This incorporates recycled polyethylene terephthalate (PET), contributing to minimising the consumption of the planet's natural resources.

Fitwall® panels are designed to cover walls, ceilings and furniture, creating different and attractive spaces in an easy way.









Fitwall® panels come in different finishes and colors, but if you do not find the one that suits your space, Fitwall® has the Raw White finish that is ready to be painted the color you want.





Krion recommends that Fitwall® panels are installed by a qualified professional, as described in the installation manuals, which is vital for a correct and durable installation.



For the installation of Fitwall® panels, accessory materials such as fillers, paints or dyes are used. If you have any doubts, please consult the specific data sheet of each model.

wave

14

Subtle and delicate forms create Wave, a panel of contrasts combining smooth curves with the texture of details. Wave creates sophisticated and timeless spaces, seeking care for detail in each element.

Design created by Estudi{H}ac.





Wave · White Sand 1295 x 2590 mm · 100314038 1295 x 3290 mm · 100287549



Wave · Ocre Sand 1295 x 2590 mm · 100314054 1295 x 3290 mm · 100293371





Wave · Grey Sand 1295 x 2590 mm · 100314121 1295 x 3290 mm · 100293337

* All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100287549 · Concrete Series · Wave White Sand





(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

PAINT

arco

20

The grandeur of the monuments of Roman architecture have served as an inspiration for designing Arco. The Arco model is ideal for creating atmospheres with subtle, delicate decoration, which make an impact on everyone.

Design created by Estudi{H}ac.

100293356 · Concrete Series · Arco White Sand



Arco · White Sand 1185 x 2590 mm · 100314068 1185 x 3290 mm · 100293356



Arco · Ocre Sand 1185 x 2590 mm · 100314076 1185 x 3290 mm · 100293299



Arco · Grey Sand 1185 x 2590 mm · 100314064 1185 x 3290 mm · 100293381


* All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall* panels, so small variations in tone and/or design may exist with respect to a standard production panel.




100293299 · Concrete Series · Arco Ocre Sand

100293356 · Concrete Series · Arco White Sand

24





White Sand	Ocre Sand	Grey Sand
FW P001	FW P004	FW P007

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

rolling

Inspired by the beauty given to us by nature, we have designed Rolling, a panel which stands out due to its exotic and natural aesthetic. Ideal for use in spaces which seek to convey peace, with a natural, timeless decoration.

Design created by Estudi{H}ac.

100293370 · Concrete Series · Rolling Velvet Black





Rolling · Ocre Sand 1295 x 2590 mm · 100314113 1295 x 3290 mm · 100293333



Rolling · Velvet Black 1295 x 2590 mm · 100314130 1295 x 3290 mm · 100293370



Rolling · White Sand 1295 x 2590 mm · 100314071 1295 x 3290 mm · 100293357




Rolling · River Sand 1295 x 2590 mm · 100314114 1295 x 3290 mm · 100293279


[®] All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100293279 · Concrete Series · Rolling River Sand



1295mm*



PAINT

White Sand	Ocre Sand	River Sand	Velvet Black
FW P001	FW P004	FW P026	FW P013

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

mattonella

Taking traditional aesthetics as an inspiration, we have designed Mattonella, a panel with an appearance similar to fired clay which offers a unique decorative potential. Mattonella is a combination of tradition and modernity, giving spaces a creative and timeless atmosphere.

Design created by Estudi{H}ac.

32

Trans





Mattonella · Paglierino 1145 x 2595 mm · 100314066 1145 x 3265 mm · 100293391



Mattonella · White Clay 1145 x 2595 mm · 100314065 1145 x 3265 mm · 100293343



Mattonella · Rosato 1145 x 2595 mm · 100314085 1145 x 3265 mm · 100293372



Mattonella · Bruciato 1145 x 2595 mm · 100314092 1145 x 3265 mm · 100293338



Mattonella · Anticato 1145 x 2595 mm · 100314084 1145 x 3265 mm · 100293392


[®] All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100293338 · Cotto Series · Mattonella Bruciato


te sta hard in

2



1145mm*





PAINT

White Clay	Paglierino	Bruciato	Rosato	Anticato
FW P025	FW P009	FW P007	FW P014	FW P016
	FW P010	FW P008	FW P015	FW P018

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

doghe

With a similar appearance to natural wood, Doghe is noble and sophisticated, a decorative panel which conveys elegance. It offers spaces the warmth and comfort of natural wood, being an excellent option for places of relaxation.

Design created by Estudi{H}ac.





Doghe · Roble Natura 1285 x 2590 mm · 100314093 1285 x 3290 mm · 100293376



Doghe · Nogal Americano 1285 x 2590 mm · 100314086 1285 x 3290 mm · 100293375





Doghe · Roble Murano 1285 x 2590 mm · 100314075 1285 x 3290 mm · 100293395

All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100293375 · Wood Series · Doghe Nogal Americano





P	AI	Ν	Т

Roble Natura	Nogal Americano	Roble Murano
FW T021	FW T020	FW T019

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

willow

Delicacy and strength give value to this model and place it at the vanguard of design. Willow emits peaceful sensations for creating welcoming environments. Excellent for use in spaces where a fresh, delicate atmosphere is sought.

Design created by Estudi{H}ac.

100293422 · Creative Series · Willow Velvet Black





Willow · Velvet Green 1285 x 2590 mm · 100314100 1285 x 3290 mm · 100293347



Willow · Velvet Blue 1285 x 2590 mm · 100314096 1285 x 3290 mm · 100293413





Willow · Velvet Black 1285 x 2590 mm · 100314094 1285 x 3290 mm · 100293422

All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100293413 · Creative Series · Willow Velvet Blue





PAINT		
Velvet Green	Velvet Blue	Velvet Black
FW P027	FW P028	FW P013

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

palm

Passion for details has led us to design Palm, a pi with a braided appearance which gives volume to decoration. The application of Palm changes the aesthetic and personality of any space with exthaordinary ease

Design created by Estudi{H}ac

100293414 · Creative Series · Palm Caribbean





Palm · Mediterranean 1183 × 2532 mm · 100314079 1183 × 3201 mm · 100293415




Palm · Caribbean 1183 x 2532 mm · 100314101 1183 x 3201 mm · 100293414

* All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall* panels, so small variations in tone and/or design may exist with respect to a standard production panel.




100293415 · Creative Series · Palm Mediterranear

100293415 · Creative Series · Palm Mediterranean



1183mm*



Mediterranean	Caribbean
FW P011	FW P017 FW P009

PAINT

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

shades

Contemporary and sophisticated, Shades is a commitment to conveying sensations and lingering in the mind. Using Shades to decorate spaces is perfect if seeking to create distinctive atmospheres which linger people's minds.

Design created by Estudi{H}ac

56





Shades · White Sand 2520 x 1228 mm · 100314120 3165 x 1228 mm · 100293423



Shades · Vanilla Sand 2520 x 1228 mm · 100314110 3165 x 1228 mm · 100293416




Shades - Dark Sand 2520 x 1228 mm · 100314102 3165 x 1228 mm · 100293433


All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall[®] panels, so small variations in tone and/or design may exist with respect to a standard production panel.

100293416 · Creative Series · Shades Vanilla Sand





2520mm* 3165mm*



PΔ	IN	т
FA	11 M	1

White Sand	Vanilla Sand	Dark Sand
FW P001	FW P010	FW P029

(*) Approximate measurements. Nominal measurement tolerances are ±20mm on the long side and ±10mm on the short side. (**) Approximate measurements. Design height tolerance ±5mm.

OZ

Different textures make up Oz, a striking combination which is notable for its originality and ability to transform any space. It is the perfect decorative panel for premises seeking to project a modern image, such as restaurants or cocktail bars

ł

Design created by Estudi{H}ac





Oz · Mediterranean 3085 x 1230 mm · 100293434



Oz · Yellow Clay 3085 x 1230 mm · 100293444



Oz · White Clay 3085 x 1230 mm · 100293424



Oz · Red Clay 3085 x 1230 mm · 100293435



Oz · Velvet Brown 3085 x 1230 mm · 100293441

* All designs shown in this publication are owned by KRION PORCELANOSA SOLID SURFACE S.A.U. and are protected by Industrial Design and Copyright. These images are only representative, and do not constitute an exact reproduction of Fitwall* panels, so small variations in tone and/or design may exist with respect to a standard production panel.



100293444 · Creative Series · Oz Yellow Clay

021021

27027026

TOTO TO

217017012011


CONCONCERCENCE


1 MARCATONTON

OTRATOTAL

2 MANARY

NRENN





PAINT

White Clay	Mediterranean	Red Clay	Yellow Clay	Velvet Brown
FW P025	FW P011	FW P014 / FW P016 / FW P022 / FW P018 / FW P017	FW P018 FW P022	FW P008

(*) Approximate measurements. Nominal measurement tolerances are ± 20 mm on the long side and ± 10 mm on the short side. (**) Approximate measurements. Design height tolerance ± 5 mm.

codes

PANELS	DIMENSIONS	GROUP	SAP		
Concrete Series					
	1295 x 2590 mm	BR	100314038		
WAVE. White Sand	1295 x 3290 mm	В	100287549		
	1295 x 2590 mm	BR	100314054		
WAVE. Ocre Sand	1295 x 3290 mm	В	100293371		
WW/5-001	1295 x 2590 mm	BR	100314121		
WAVE. Grey Sand	1295 x 3290 mm	В	100293337		
ADCO Milita Canad	1185 x 2590 mm	BR	100314068		
ARCO. White Sand	1185 x 3290 mm	В	100293356		
ARCO. Ocre Sand	1185 x 2590 mm	BR	100314076		
ARCO. Ocre sand	1185 x 3290 mm	В	100293299		
ADCO Constant	1185 x 2590 mm	BR	100314064		
ARCO. Grey Sand	1185 x 3290 mm	В	100293381		
ROLLING, White Sand	1295 x 2590 mm	AR	100314071		
ROLLING. White Sand	1295 x 3290 mm	A	100293357		
ROLLING, River Sand	1295 x 2590 mm	AR	100314114		
ROLLING, RIVEI Salid	1295 x 3290 mm	A	100293279		
ROLLING, Ocre Sand	1295 x 2590 mm	AR	100314113		
ROLLING. OCIE Salid	1295 x 3290 mm	A	100293333		
ROLLING. Velvet Black	1295 x 2590 mm	AR	100314130		
ROLLING. VEIVEL BIACK	1295 x 3290 mm	A	100293370		
Cotto Series					
Cotto Series	1145 x 2595 mm	AR	100314066		
MATTONELLA. Paglierino	1145 x 3265 mm	A	100293391		
	1145 x 2595 mm	AR	100273371		
MATTONELLA. Rosato	1145 x 3265 mm	A	100293372		
	1145 x 3265 mm	A	100293372		
MATTONELLA. Anticato	1145 x 3265 mm	A	100293392		
	1145 x 2595 mm	AR	100273372		
MATTONELLA. Bruciato	1145 x 3265 mm	A	100293338		
	1145 x 2595 mm	AR	100275558		
MATTONELLA. White Clay	1145 x 3265 mm	A	100293343		

А

100293343

1145 x 3265 mm

PANELS	DIMENSIONS	GROUP	SAP		
Wood Series					
	1285 x 2590 mm	CR	100314086		
DOGHE. Nogal Americano	1285 x 3290 mm	С	100293375		
DOGHE. Roble Murano	1285 x 2590 mm	CR	100314075		
DOGHE, RODIE Mulailo	1285 x 3290 mm	С	100293395		
DOGHE. Roble Natura	1285 x 2590 mm	CR	100314093		
	1285 x 3290 mm	C	100293376		
Creative Series					
WILLOW. Velvet Black	1285 x 2590 mm	CR	100314094		
WILLOW, VEIVEL BIACK	1285 x 3290 mm	С	100293422		
WILLOW. Velvet Blue	1285 x 2590 mm	CR	100314096		
WILLOW, Vervet blue	1285 x 3290 mm	С	100293413		
WILLOW. Velvet Green	1285 x 2590 mm	CR	100314100		
WIELOW, VENCE GIGEN	1285 x 3290 mm	С	100293347		
PALM. Caribbean	1183 x 2532 mm	CR	100314101		
	1183 x 3201 mm	С	100293414		
PALM. Mediterranean	1183 x 2532 mm	CR	100314079		
	1183 x 3201 mm	C	100293415		
SHADES. White Sand	2520 x 1228 mm	BR	100314120		
	3165 x 1228 mm	В	100293423		
SHADES. Dark Sand	2520 x 1228 mm	BR	100314102		
	3165 x 1228 mm	В	100293433		
SHADES. Vanilla Sand	2520 x 1228 mm	BR	100314110		
	3165 x 1228 mm	В	100293416		
OZ. Red Clay	3085 x 1230 mm	А	100293435		
OZ. Yellow Clay	3085 x 1230 mm	A	100293444		
OZ. White Clay	3085 x 1230 mm	А	100293424		
OZ. Mediterranean	3085 x 1230 mm	A	100293434		
OZ. Velvet Brown	3085 x 1230 mm	А	100293441		

codes

PUTTY	SAP
Fitmastic Fine 0,25kg	100294251
Fitmastic Fine 0,5kg	100294225
Fitmastic Fine 2kg	100294185
Fitmastic Fine 5kg	100294252
Fitmastic Rough 0,25kg	100294179
Fitmastic Rough 0,5kg	100294214
Fitmastic Rough 2kg	100294215
Fitmastic Rough 5kg	100287852
	100204107
Aquafitmastic Rough 0,25kg	100294186
Aquafitmastic Rough 0,5kg	100294187
Aquafitmastic Rough 2kg	100294188
Aquafitmastic Rough 5kg	100294189
FW Hardener 15ml	100294162
FW Hardener 75ml	100287860

PAINT	SAP	PAINT	SAP
FW P001 100ml	100294247	FW P001 300ml	100287838
FW P003 100ml	100294264	FW P003 300ml	100294302
FW P004 100ml	100294290	FW P004 300ml	100294331
FW P005 100ml	100294291	FW P005 300ml	100294326
FW P007 100ml	100294265	FW P007 300ml	100294314
FW P008 100ml	100294282	FW P008 300ml	100294327
FW P009 100ml	100294273	FW P009 300ml	100294315
FW P010 100ml	100294234	FW P010 300ml	100294342
FW P011 100ml	100294219	FW P011 300ml	100294334
FW P013 100ml	100294235	FW P013 300ml	100294330
FW P014 100ml	100294228	FW P014 300ml	100287817
FW P015 100ml	100294236	FW P015 300ml	100294340
FW P016 100ml	100294248	FW P016 300ml	100294312
FW P017 100ml	100294270	FW P017 300ml	100294322
FW P018 100ml	100294271	FW P018 300ml	100294323
FW P022 100ml	100294261	FW P022 300ml	100294350
FW P025 100ml	100287862	FW P025 300ml	100294400
FW P026 100ml	100294254	FW P026 300ml	100294324
FW P027 100ml	100294263	FW P027 300ml	100294325
FW P028 100ml	100294280	FW P028 300ml	100294352
FW P029 100ml	100304388	FW P029 300ml	100304355
FW T019 100ml	100294272	FW T019 300ml	100294332
FW T020 100ml	100294237	FW T020 300ml	100294333
FW T021 100ml	100294281	FW T021 300ml	100294353

faq's



What is Fitwall® used for?

Covering:





Where can it be installed?



On what type of support can it be installed?









Does the support where the panel will be installed have to be prepared in any way?

The substrate must not be treated with any product. It must be ensured that the wall is flat, as it may be irregular.

Is it necessary to carry out works for the installation of this type of panel?

It is not necessary to carry out works due to installation being with mechanical fixings, that is, screws and blocks, depending on the substrate, and installing on an existing substrate.

Does installation take a long time?

Due to the size of the panels, a larger area is covered in a shorter time, therefore making the installation time relatively short. Full renovations may be carried out in a much shorter time than with other materials existing on the market.



Can it be curved?

It must be known that the panel adapts to the substrate where it will be installed. It is therefore possible to create curves, always taking into account the curve radii specified in the installation datasheets of each panel.

Does cleaning require any special product?

No, scrubbers and fabric cloths must be avoided, as they are rough materials which damage the surface of the material. We paper is used to eliminate the excess, a little soap, and a cloth to clean and dry the surface.



Ctra. Vila-real-Puebla de Arenoso (CV20) Km 1 · 12540 VILA-REAL (CASTELLÓN) SPAIN Tel: (+34) 964 50 64 64 / krion@krion.com / www.krion.com

Legal Notice: The images, texts and data are owned by KRION SOLID SURFACE, S.A.U., with registered office at Carretera Vila-real – Puebla de Arenoso (CV-20), 12.540 Vila-real (Castellón). Its express, written consent is required for the use and dissemination, whether partial or full, of this content. KRION SOLID SURFACE, S.A.U. has exclusive usage rights over it in any form, and in particular the rights of reproduction, distribution, public communication and transformation. All this material is protected by intellectual property legislation and its misuse may be subject to penalty including criminal penalty.



Ctra. Vila-real-Puebla de Arenoso (CV20) Km 1 · 12540 VILA-REAL (CASTELLÓN) SPAIN Tel: (+34) 964 50 64 64 / krion@krion.com / www.krion.com