

# jardinico®



PREMIUM

An intuitive view on shade solutions paying tribute to craftsmanship and technical insight was translated into the Caractère collection. A premium outdoor umbrella allowing unlimited shade possibilities and discreet luxury to your garden or terrace. Quality, aesthetics and durability merge together in a modern, chic and demanding world on exterior living.

Caractère creates an elegant aesthetic that respects the architectural vision of any space. A collection that is designed with an eye for every detail and finished with the greatest care. Its versatile use makes each piece the perfect umbrella as a finishing touch for any outdoor area.

All Jardinico<sup>®</sup> Caractère designs are internationally registered.

### **PRODUCT TYPE**

### Mid pole aluminium

JCP.1 series	62
JCP.2 series	64

### Free pole aluminium

JCP.3 series	68
JCP.4 series	72
JCP.5 series	78
JCP.6 series	80

JCP.1 SERIES	Gallery Technical JCP.102 - 230 x 230 cm	9 63
JCP.2 SERIES	Gallery Technical	17
	JCP.201 - 400 x 400 cm	65
	JCP.202 - 500 x 500 cm	66
	JCP.203 - ø 450 cm	67
JCP.3 SERIES	Gallery Technical JCP.301 - 300 x 300 cm JCP.302 - 260 x 260 cm JCP.303 - ø 350 cm	25 69 70 71
JCP.4 SERIES	Gallery	35
	Technical	
	JCP.401 - 370 x 370 cm	73
	JCP.402 - 425 x 300 cm	74
	JCP.403 - ø 400 cm	75
	JCP.404 - 250 x 350 cm	76

9

JCP.5 SERIES	Gallery Technical JCP.501 - 4 * 300 x 300 cm	45 79
JCP.6 SERIES	Gallery Technical JCP.601 - 2 * 300 x 300 cm	51 81

### SPECIFICATIONS

Technical	6
Materials	8
Protection & maintenance	8



# S Ш E N N S 0 0 mid


A perfect match for any project around the world, outdoor umbrellas that blend in seamlessly with the environment. Caractère One Series surprises thanks to its sturdiness.

With a canopy incline of 10°, the umbrella looks enormously flat, drawing attention to its sleek lines with an elegant touch.













# S L L E N N S mid

Two series offers outdoor umbrellas that play a central role on your patio. A true eye-catcher, providing up to 25 m<sup>2</sup> of shade. Thanks to a telescopic system, you can smoothly open and close the sturdy umbrella at arm height without touching other furniture.

Despite their enormous strength, the umbrellas are very mobile and supported by a base of 158 kg - 348 lbs.



:003 pearl FLEXX b







22 JCP.2 SERIES



S ш **M** S ree

The most iconic series from Caractère. Three Series includes umbrellas that are the heart of your garden, perfect for shelter and protection from the bright sun rays. Every model is extremely convenient to move and operate. By means of the slider, you can easily move this parasol into every desired position and turn it 360° without having to move its base.










Caractère collection gets its strength from its frame. All parts of the frame are made from aluminium, such as the interior and the full opening system. An extra strong aluminium frame with a profile thickness of 3 mm and a seamless, elegant transition from the frame to the accompanying parasol base.







JCP.301 300 x 300 cm A31 charcoal C305 umber FLEXX dining



S L L **M** S ree

Four series is home to a variety of environments all over the world. You may find them in both private use and large projects such as hotels, public bui<mark>ldings, resorts and pool areas.</mark>


An exceptionally sturdy outdoor umbrella with an elegant and luxurious appearance. Supported by a 245 kg - 540 lbs base and its dimensions, this series is the perfect marriage between Belgian design, enormous strength and guaranteed quality.



JCP.404 250 x 350 cm A31 charcoal C011 cotton SCOOP lou












The outdoor umbrella bases of Caractère were exclusively designed in Belgium. Hot galvanised and powder coated steel plates, each with a thickness of 15 mm, give a modern and sophisticated look to each base. The heavy weight provides extremely stable support for carefree enjoyment of the outdoors.





A sturdy full aluminium frame ensures that you can operate such a large umbrella with the greatest of ease. Tilt in height or turn your umbrella 360° around its axis, depending on the position of the sun and where you want your shade.




S L L E N N S Ż

Five series has proven to be the ideal model for hospitality. With four seperate outdoor umbrellas of 300 x 300 cm on one central pole, this model offers no less than 40 m<sup>2</sup> of shade. Each parasol can be tilted in height and opened individually.

Gutters are available to connect them to each other and enable large areas to have complete, uninterrupted coverage from the sun or rainy weather conditions.









JCP.501 3\* 300 x 300 cm A12 alu teak C003 pearl FLEXX bistro



S Ш E N N S 5 ree

An umbrella that will grace every large outdoor area by its Belgian design. The JCP.601 combines two outdoor umbrellas of 300 x 300 cm that can be opened, closed and tilted in height individually. Together they provide 18 m<sup>2</sup> of shade. Thanks to one pole, the space underneath can be used optimally which makes this sunshade ideal for catering projects.

















Technical SPECIFICATIONS

The representation of colours, dimensions and weights may differ from reality as may variations when a product is handmade. Dimensions and technical details are subject to change without prior notice. Jardinico reserves the right to make any improvements such as technological and aesthetical modifications to its models, including adjustments of sizes and materials when it comes to technical developments or availibility of raw materials.

More information, accompanying videos about the collections and technical data sheets of each product can always be consulted or downloaded on our website www.jardinico.com.




# JCP.1 **SERIES**

- Full aluminium frame.
- Light, compact and strong.
- Push-up system.
- Belgian design.
- Ideal for hospitality projects, smaller terraces or along the swimming pool.

FRAME	Mid pole umbrella with push-up system. Pole and ribs are aluminium powder coated. Pole profile: 40 x 40 x 1.5 mm, 1.6 x 1.6 x 0.06". Ribs profile: 22 x 22 x 1.6 mm, 0.9 x 0.9 x 0.06".
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ∉∰ Fast stock: canopies available from stock.
BASE	Two hot galvanised steel plates, powder coated.
TILT & ROTATION	Not applicable.
WIND SPEED	43 km/h, 26.7 mph - Maximum wind speed to which the umbrella may be exposed.



### 230 X 230 CM



	A01 white
	A12 alu teak
	A32 black
UCJCP.1	02 CANOPY
	C003 pearl
	<b>C100</b> ice
	C305 umber
	C107 mooncr
	C416 sapphir

UBJCP.15	5 BASE
----------	--------

S01 white
S31 charcoal

PROTECTION COVER

UPJCP.1S-X77 black

JCP.102 - 230 x 230 cm


### JCP.102





All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.


Has the same colour as its frame.

For an alu teak frame, we provide a charcoal base.



# JCP.2 **SERIES**

V Full aluminiu	ım frame.	
Large and ro	bust with 25 m² of shade.	JCP.201 - 400 x 400 cm
	pening system: and close without touching other furniture.	
Gutters avai	able to connect multiple umbrellas.	The second s
V Perfect for la	rge terraces.	
		ł.
		c3
FRAME	Mid pole umbrella with crank handle and telescopic opening system. Pole and ribs are aluminium powder coated. Pole profile: 80 x 80 x 2.8 mm, 3.2 x 3.2 x 0.1". Ribs profile: 32 x 32 x 1.6 mm, 1.3 x 1.3 x 0.06".	JCP.202 - 500 x 500 cm
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. =① Fast stock: canopies available from stock.	
BASE	2 hot galvanised steel plates, powder coated.	
TILT & ROTATION	Not applicable.	1
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	JCP.203 - ø 450 cm




GUTTERS	p. 90	
---------	-------	--

**UAJCP.2S** colour of the canopy

### JCP.201

	S02 silver
ound base	



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it. \*\* Easy to open and close without touching furniture.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame.



#### IN GROUND BASE


Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

56 kg, 123.5 lbs nett excl. base







### 500 X 500 CM

### UFJCP.202 FRAME



### UBJCP.2S-3S BASE

S01 white	S02 silver
S31 charcoal	


UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base

#### PROTECTION COVER

UPJCP.2S-X77 black

GUTTERS p. 90

**UAJCP.2S** colour of the canopy



All dimensions exclude the base. \* Stainless steel LOXX® to easily attach the canopy to the frame and detach it. \*\* Easy to open and close without touching furniture.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame.
- 21.5 cm 8.5"

### IN GROUND BASE


Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

### Ø 450 CM



### UBJCP.2S-3S BASE



	S01 white	S02 silver
	S31 charcoal	
UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base		

### PROTECTION COVER

UPJCP.2S-X77 black




### JCP.203

42 kg, 92.6 lbs nett

excl. base

0.25 cm - 0.1





All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

\*\* Easy to open and close without touching furniture.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



# JCP.3 **SERIES**

**360°** 

- Full aluminium frame.
- Shade wherever you like, depending on the position of the sun.  $\sim$
- $\checkmark$ Put together according to your taste and preference.
- $\swarrow$ Ideal for both private use and hospitality projects.

FRAME	Free pole umbrella with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 80 x 80 x 2.3 mm, 3.5 x 3.5 x 0.09". Ribs profile: 22 x 22 x 1.6 mm, 0.9 x 0.9 x 0.06".
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ₹Ö Fast stock: canopies available from stock.
BASE	2 hot galvanised steel plates, powder coated.
TILT & ROTATION	Tilt in height, left and right. Rotation of 360° by means of a pin at the bottom of the pole.
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.






### 300 X 300 CM

UFJCP.301 FRAME






### PROTECTION COVER

UPJCP.3S-X77 black

### JCP.301



### 42 kg, 92.6 lbs nett excl. base



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

158 kg 🏸 348 lbs

### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



### 260 X 260 CM

### UMJCP.302 FRAME & CANOPY



### UFJCP.302 FRAME




### UBJCP.2S-3S BASE


S01 white	S02 silver
S31 charcoal	
UBIGB-JCP.2S-3S in ground base UBOGB-JCP.2S-3S on ground base	

### PROTECTION COVER

UPJCP.3S-X77 black
--------------------



\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it..



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame.
- For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.

(<u>360°</u>)


31 kg, 68.3 lbs nett



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

### Ø 350 CM



### UBJCP.2S-3S BASE

S01 white S31 charcoal

UBIGB-JCP.2S-3S in gro UBOGB-JCP.2S-3S on g

### PROTECTION COVER

UPJCP.3S-X77 black


### JCP.303




### 34 kg, 74.9 lbs nett excl. base



	S02 silver	
ound base ground base		



All dimensions exclude the base. - Toutes les dimensions excluent le socle.  $^{\star}$  Stainless steel LOXX\* to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.




# JCP.4 **SERIES**

Full aluminium fram	$\checkmark$	Full	aluminium	fram
---------------------	--------------	------	-----------	------

Despite its weight of 309 kg (incl. base), an elegant appearance.  $\sim$ 

- Variations in dimensions, finishes and colours.  $\sim$
- $\sqrt{}$ Ideal for a lounge setting or over long dining tables.

FRAME	Free pole umbrella with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 100 x 100 x 3.5 mm, 3.9 x 3.9 x 0.2". Ribs profile: 32 x 32 x 1.6 mm, 1.2 x 1.2 x 0.06".
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ∉ð Fast stock: canopies available from stock.
BASE	3 hot galvanized steel plates, powder coated.
TILT & ROTATION	Tilt in height. Rotation of 360° by means of a pin at the bottom of the pole.
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.



## JCP.401




### 64 kg, 141.1 lbs nett excl. base










All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



### 425 X 300 CM

### UFJCP.402 FRAME




### UBJCP.45 BASE




### PROTECTION COVER

UPJCP.4S-X77 black
--------------------



All dimensions exclude the base.

\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame.
- For a frame in alu teak and cappuccino we provide a charcoal base.



21.5 cm - 8.5"

· · ·

### IN GROUND BASE


Anchored in the ground with concrete. Can not be moved.


(360°) A

ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.

### Ø 400 CM





UBIGB-JCP.4S-5S-6S in UBOGB-JCP.4S-5S-6S o

### PROTECTION COVER

UPJCP.4S-X77 black




## JCP.403




### 53 kg, 116.8 lbs nett excl. base



		S02 silver
ground base on ground bas	se	



All dimensions exclude the base. \* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella.
- Has the same colour as its frame. For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



### 250 X 350 CM

### UFJCP.404 FRAME




### UBJCP.45 BASE - SOCLE



### PROTECTION COVER

U 1	PJCP.4S-X77	black



All dimensions exclude the base. \* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.



### BASE

- Base with 4 wheels that rotate 360°, each with brakes to fix the umbrella. Has the same colour as its frame.
- For a frame in alu teak and cappuccino we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.





# JCP.5 SERIES

5

4 free pole umbrellas on one mid pole.

- Heavy 300 kg steel base or in ground base.
- Ideal for hospitality projects.

FRAME	4 free pole umbrellas with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 150 x 150 x 3.6 mm, 5,9 x 5,9 x 0.14". Ribs profile: 32 x 32 x 2.5 mm, 1.2 x 1.2 x 0.1".	the states of th
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ₹Ů Fast stock: canopies available from stock.	
BASE	3 hot galvanised steel plates, powder coated.	
TILT	Tilt in height.	
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	.ICP 501 - 4*

 - Kara

JCP.501 - 4\* 300 x 300 cm

	4* 300	X 300 CM	
	UFJCP.5	01 FRAME	
		A02 silver	
		A31 charcoal	
н	UCJCP.501 CANOPY		
MATO		C003 pearl	
MIX & MATCH		<b>C207</b> onyx	
2		<b>C100</b> ice	
		C210 pitch	
		C416 sapphire	

### UBJCP.5S-6S BASE

S02 silver

UBIGB-JCP.4S-5S-6S in UBOGB-JCP.4S-5S-6S o

PROTECTION COVER

UPJCP.5S-X77 black

UAJCP.5S - GUTTERS (4x) p. 90

A fabric from our fast stock

Other fabric of your choice

## JCP.501





0.36 cm - 0.14"


143.5 kg, 316.4 lbs nett **excl. base** 




	S31 charcoal
ground base on ground base	









\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.

### BASE

- · Base without wheels.
- Has the same colour as its frame.
  For a frame in alu teak we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



# JCP.6 **SERIES**


- Full aluminium frame.
- $\swarrow$ 2 free pole umbrellas on one mid pole.
- $\checkmark$ Heavy 300 kg steel base or in ground base.
- Ideal for hospitality projects.

FRAME	2 free pole umbrellas with crank handle. Pole and ribs are aluminium powder coated. Pole profile: 150 x 150 x 3.6 mm, 5.9 x 5.9 x 0.14". Ribs profile: 32 x 32 x 2.5 mm, 1.2 x 1.2 x 0.1".	
CANOPY	320g/m² Sunbrella® Plus, 100% solution dyed acrylic. ∉∰ Fast stock: canopies available on stock.	
BASE	Hot galvanized steel plate, powder coated.	_
TILT	Tilt in height.	
WIND SPEED	58 km/h, 36 mph - Maximum wind speed to which the umbrella may be exposed.	JCP.601 - 2* 300 × 300



JCP.601 - 2\* 300 x 300 cm

### 2\* 300 X 300 CM



### UBJCP.5S-6S BASE

S31 charcoal

UBIGB-JCP.4S-5S-6S in UBOGB-JCP.4S-5S-6S

### PROTECTION COVER

UPJCP.6S-X77 black




## JCP.601





86.5 kg, 190.7 lbs nett excl. base


I			
n ground base on ground bas	se		



\* Stainless steel LOXX® to easily attach the canopy to the frame and detach it.







### BASE

- Base without wheels.
- Has the same colour as its frame. For a frame in alu teak we provide a charcoal base.



### IN GROUND BASE

Anchored in the ground with concrete. Can not be moved.



### ON GROUND BASE

Only possible with a substrate where chemical anchoring is possible.



Material SPECIFICATIONS

Our materials are always selected in function of intensive outdoor use and exposure to the sun. Jardinico only works with the best materials to ensure the best quality, added value and a luxurious appearance in any environment around the globe. Quality, aesthetics and durability are absolute top priorities. The best materials embrace Caractère's beautiful design for you to enjoy the outdoors carefree for many years to come.

## MATERIALS



FABRICS

C003 pearl

## Ō=

All fabrics for the outdoor umbrellas canopies from the Caractère collection are from Sunbrella® PLUS Marine collection and made of solution dyed acrylic yarns. A global reference for marine applications, 100% recyclable and ideal for sun, wind and rain protection.

### Performance

All canopies are made of solutions dyed acrylic. This means the colour of the fabric runs all the way through the yarn. The colour is added to the liquid solution that the yarn is extruded from. Only solution dyed fabrics keep their colour and are resistant to fading under the effect of UV rays when exposed to the sun.

### Stain resistant & waterproof

All fabrics have a surface finish that makes the fabric water and stain repellent. A coating on the reverse side makes the fabric waterproof, mildew resistant and keeps its drying time to a minimum. Please consult our product data sheets or website to learn more on how to care and maintain your fabrics.

### Technical data

Composition
Finish
Weight
UPF 50+
Colour fastness UV ISO 105 B02

## MATERIALS



Fast stock

Canopies available from stock. We offer 'fast stock' to speed up the delivery time of our canopies. We selected a few fabrics of which canopies are held in stock in Belgium and can be delivered quickly. This service is subject to availability of raw materials worldwide. These colours are shown above with the following icon: =

It is always possible to order canopies that differ from the fast stock colours. A delivery time of six to eight weeks should be taken into account. An overview of all available fabrics can be found above.



sunbrella

100% solution dyed acrylic from Sunbrella® PLUS Marine collection

Resin based anti-fungi coating, water and UV resistant

320 g/m<sup>2</sup>

The fabric filters more than 98% of UVB rays

UV ISO 105 B02: 7-8 / 8 dry & wet friction: 5 / 5



### POWDER COATED ALUMINIUM



A01 white



A31 charcoal

### STAINLESS POWDER COATED STEEL



## MATERIALS



Aluminium treated with a structured coloured coating.

Epoxy powder coating to increase durability and strength. It makes the material water repellent, stain and scratch resistant.

Excellent resistance to corrosion under the effect of various weather conditions due to the technique also used in marine applications.

Suitable for outdoor use. Easy to clean and maintain.



A32 black

Hot galvanised steel plates treated with a structured coloured coating.

Structured powder coating to increase durability and strength. It makes the material water repellent, stain and scratch resistant.

Stainless steel with excellent resistance to corrosion under the effect of various weather conditions due to the technique also used in marine applications.

Suitable for outdoor use. Easy to clean and maintain.



Protection & MAINTENANCE

To enhance the durability and appearance of your outdoor umbrella, we recommend following our care instructions regularly. The umbrella should never be used in strong wind or rainy conditions. An open umbrella should never be left unattended. The umbrella should be protected against blurring or damage by always using its accompanying protection cover. During autumn and winter, we advise to store the umbrella in a dry place when not in use.

## PROTECTION

### **PROTECTION COVER**

We suggest to always use the protection cover to protect your outdoor umbrella from poor weather conditions or when not in use during the summer. The protection cover can be placed over the umbrella and its pole. The stain resistant and water repellent cover will extend its life for you to enjoy your umbrella whenever you like.

Ref.	Colour	Swatch	Weight	About this fabric
X77	Black		240 g/m <sup>2</sup>	Sunbrella® surlast black, 100% solution dyed acrylic with PU coating





### **GUTTERS**

Gutters provide uninterrupted protection between multiple outdoor umbrellas. Connecting umbrellas enables large areas to have complete coverage from the sun or rainy weather conditions.

A gutter is always attached to the umbrella at a slight decline to allow water to drain off efficiently in desired directions.

Our gutters are only applicable on the following umbrellas:

- JCP.201 (p. 65)
- JCP.202 (p. 66)
- JCP.501 (p. 79)

They are available in the same colour as your umbrella canopy to blend in perfectly.



### **CORRECTOR PEN 12 ML**

Quick-drying liquid paint with built-in brush for powder-coated surfaces. Ideal for retouching small surface traces (scratches, wear).

## MAINTENANCE

### FRAME & BASE

Clean the aluminium frame with a damp cloth, mild soap and water. Do not use any sharp tool to avoid scratches.

### CANOPY


Before use, you can apply an invisible film to make the canopy stain and water repellent by using a textile protector. You can maintain and clean your canopy by following a few simple steps:

- Brush off loose dirt before it becomes embedded in the fabric.
- Hose down.
- Spot clean soon after stains occur with water and mild soap or a textile cleaner (no detergents). Use a soft bristle brush to clean.
- Allow soap to soak in.
- Rinse thoroughly.
- Always let the canopy air dry completely before storing or covering.

Machine wash in cold water. Depending on wash load size, use normal amounts of mild laundry detergent and add 1 cup of bleach. Allow fabric to air dry. Never subject to excessive heat, steam press or tumble dry as the fabric wil shrink.

			A01 white			
			A03 linen			
	SPCOR-12ML		A11 taupe			
	SPCOR-12ML		A30 anthracite			
			A31 charcoal			
			A32 black			

### MAINTENANCE SET





REFERENCES

Fairmont Royal palm - Marrakesh - Morocco Sea lounge - Porto-Vecchio - Corsica Cove beach - Dubai - UAE Limonade Maillot - Paris - France **Kempinski** - Aqaba - Jordan **Jules Bar** - Kortrijk - Belgium Radisson Blu - Wiesbaden - Germany Limonade Maillot - Paris - France Wittamer - Brussels - Belgium Kempinski Hotel - Bruges - Belgium Blue Origin - Deerlijk - Belgium Blue Buddha Beachclub - Knokke - Belgium Collin's Beach - Knokke - Belgium Bar d'O Beach Club - Knokke - Belgium Blue Buddha beach club - Knokke - Belgium Kruisheren Hotel - Maastricht - The Netherlands Country Club - Samois Sur Seine - France Le Couvent des Minimes - Mane - France Hôtel Julien - Fouday - France Peninsula - Paris - France

Golf Up - Grimaud - France Nørgaard - Hornbaek - Denmark La Plage - Casadelmar - Corsica Yacht Club - Porto-Montenegro La Gazelle d'Or - Tunesia **Parkhotel** - Kortrijk - Belgium **Eyebar** - Hong Kong - China Honi Honi Bar - Hong Kong - China Wooloo Mooloo - Hong Kong - China Retreat & Spa - Maledives Berjaya Hotel - Kuala Lumpur - Malaysia Mulia Hotel - Bali - Indonesia Age-Hassim Hill - Singapore **Joe's Café** - Doha - Qatar **Utopia** - Abu Dhabi Mercure Hotel Harbourside - Carens - Australia Royalton Hotel Riviera Cancum - Mexico Grand Palladium Lady Hamilton - Jamaïca Radisson Blu - Dakar - Senegal

93

Catalogue made thanks to:

- Jardinico® team
- Shoot Photography Steije.be Creative Video Agency Frederik Naessens Transport

JARDINICO PARASOLS BV

Evolis 101 8530 Harelbeke Belgium

T +32 (0)56 89 04 10

info@jardinico.com www.jardinico.com

Follow us on:



Visit our website to learn more:



www.jardinico.com