



RAW WHITE

09315
PORCELAIN
TILES

H
HIGH
DEFINITION



THICKNESS

9
MM

cm. 100x100

inch 39”³/₈x39”³/₈

cm. 60x120

inch 23”⁵/₈x47”¹/₄

cm. 60x90


inch 23”⁵/₈x35”⁷/₁₆

cm. 60x60

inch 23”⁵/₈x23”⁵/₈

cm. 30x60

inch 11”¹³/₁₆x23”⁵/₈



60x120 - 23”⁵/₈x47”¹/₄
LST 82RT Raw White Rettificato

02
1075



60x90 - 23”⁵/₈x35”⁷/₁₆
LST 81RT Raw White Rettificato

02
1075




100x100 - 38”³/₈x38”³/₈
LST 108R Raw White Rettificato

02
1090



60x120 - 23”⁵/₈x47”¹/₄
LST 85RT Strutturato Track Raw White Rettificato

02
1085



30x60 - 11”¹³/₁₆x23”⁵/₈
LST 86RT Raw White Rettificato

07
1040



30x30 - 11”¹³/₁₆x11”¹³/₁₆
LST 885N Mos. 5x5 Raw White

10
8115




30x60 - 11”¹³/₁₆x23”⁵/₈
LST 884N Mattoncino Raw White

04
8130




30x34 - 11”¹³/₁₆x13”³/₈
LST 887N Esagono Circle Raw White

06
8160




60x60 - 23”⁵/₈x23”⁵/₈
LST 80RT Raw White Rettificato

03
1065



30x60 - 11”¹³/₁₆x23”⁵/₈
LST 888N Muretto Circle Raw White

04
8150



60x120 - 23”⁵/₈x47”¹/₄
LST 89RT Raw White 20 MM Rettificato

01
1125

OUT
WALK

Porcelain
slabs



60x90 - 23”⁵/₈x35”⁷/₁₆
LST 869R Raw White 20 MM Rettificato

01
1120

THICKNESS

20
MM

cm. 60x120

inch 23”⁵/₈x47”¹/₄

cm. 60x90

inch 23”⁵/₈x35”⁷/₁₆

DOWNLOAD
TECHNICAL
FEATURES



NATURAL



20 MM



CLAY

- 09315
PORCELAIN
TILES

HD
HIGH DEFINITION

THICKNESS
9
MM


cm. 100x100
inch 39³/₈x39³/₈

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 60x60
inch 23⁵/₈x23⁵/₈

cm. 30x60
inch 11¹/₃x23⁵/₈



60x120 - 23⁵/₈x47¹/₄
LST 42RT Clay Rettificato

02
1075



60x90 - 23⁵/₈x35⁷/₁₆
LST 41RT Clay Rettificato

02
1075




100x100 - 38³/₈x38³/₈
LST 104R Clay Rettificato

02
1090




60x120 - 23⁵/₈x47¹/₄
LST 45RT Strutturato Track Clay Rettificato

02
1065



30x60 - 11¹/₃x23⁵/₈
LST 46RT Clay Rettificato

07
1040



30x30 - 11¹/₃x11¹/₃
LST 445N Mos. 5x5 Clay

10
3115




30x60 - 11¹/₃x23⁵/₈
LST 444N Mattoncino Clay

04
3130



30x34 - 11¹/₃x13³/₈
LST 447N Esagona Circle Clay

06
3160



35x40 - 13³/₄x15³/₄
LST 449N Nest Clay/Walnut

04
3150



60x60 - 23⁵/₈x23⁵/₈
LST 40RT Clay Rettificato

03
1065




30x60 - 11¹/₃x23⁵/₈
LST 448N Muretto Circle Clay

04
3150



100x100 - 38³/₈x38³/₈
LST 104AS Clay Antislip Rettificato

02
1090



30x60 - 11¹/₃x23⁵/₈
LST 46AS Clay Antislip Rettificato

07
1040

OUT
WALK

Porcelain
slabs

THICKNESS
20
MM

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 100x100
inch 39³/₈x39³/₈

cm. 60x60
inch 23⁵/₈x23⁵/₈



100x100 - 39³/₈x39³/₈
LST 124R Clay 20 MM Rettificato

01
1135




60x120 - 23⁵/₈x47¹/₄
LST 49RT Clay 20 MM Rettificato

01
1125



60x90 - 23⁵/₈x35⁷/₁₆
LST 469R Clay 20 MM Rettificato

01
1120



60x60 - 23⁵/₈x23⁵/₈
LST 460R Clay 20 MM Rettificato

02
1115

DOWNLOAD
TECHNICAL
FEATURES



20 MM



TAUPE

- 09315
PORCELAIN
TILES

HD
HIGH DEFINITION

THICKNESS
9
MM

cm. 100x100
inch 39”3/8x39”3/8

cm. 60x120
inch 23”5/8x47”1/4

cm. 60x90
inch 23”5/8x35”7/16

cm. 60x60
inch 23”5/8x23”5/8

cm. 30x60
inch 11”13/16x23”5/8

60x120 - 23”5/8x47”1/4
LST 52RT Taupe Rettificato

02
1075

60x90 - 23”5/8x35”7/16
LST 51RT Taupe Rettificato

02
1075

60x60 - 23”5/8x23”5/8
LST 50RT Taupe Rettificato

03
1095

30x60 - 11”13/16x23”5/8
LST 56RT Taupe Rettificato

07
1040

100x100 - 38”3/8x38”3/8
LST 105R Taupe Rettificato

02
1090

DOWNLOAD
TECHNICAL
FEATURES

NATURAL

ANTISLIP

30x30 - 11”13/16x11”13/16
LST 555N Mos. 5x5
Taupe

10
3115

30x60 - 11”13/16x23”5/8
LST 554N Mattoncino Taupe

04
3130

30x60 - 11”13/16x23”5/8
LST 558N Muretto Circle Taupe

04
3150

30x34 - 11”13/16x13”3/8
LST 557N Esagona
Circle Taupe

06
3160

35x40 - 13”3/4x15”3/4
LST 559N Nest Taupe/Brown

04
3150

100x100 - 38”3/8x38”3/8
LST 105AS Taupe Antislip Rettificato

02
1090

30x60 - 11”13/16x23”5/8
LST 56AS Taupe Antislip Rettificato

07
1040

OUT
WALK

Porcelain
slabs

THICKNESS
20
MM

cm. 60x120
inch 23”5/8x47”1/4

cm. 60x90
inch 23”5/8x35”7/16

cm. 100x100
inch 39”3/8x39”3/8

cm. 60x60
inch 23”5/8x23”5/8

100x100 - 39”3/8x39”3/8
LST 125R Taupe 20 MM Rettificato

01
1135

60x120 - 23”5/8x47”1/4
LST 59RT Taupe 20 MM Rettificato

01
1125

60x90 - 23”5/8x35”7/16
LST 569R Taupe 20 MM Rettificato

01
1120

60x60 - 23”5/8x23”5/8
LST 560R Taupe 20 MM Rettificato

02
1115

DOWNLOAD
TECHNICAL
FEATURES

20 MM



EARTH




cm. 100x100
inch 39”³/₈x39”³/₈

cm. 60x120
inch 23”⁵/₈x47”¹/₄

cm. 60x90
inch 23”⁵/₈x35”⁷/₁₆


cm. 60x60
inch 23”⁵/₈x23”⁵/₈

cm. 30x60
inch 11”¹³/₁₆x23”⁵/₈



60x120 - 23”⁵/₈x47”¹/₄
LST 62RT Earth Rettificato

02
1075



60x60 - 23”⁵/₈x23”⁵/₈
LST 60RT Earth Rettificato

03
1065



60x90 - 23”⁵/₈x35”⁷/₁₆
LST 61RT Earth Rettificato

02
1075




100x100 - 38”³/₈x38”³/₈
LST 106R Earth Rettificato

02
1090



30x60 - 11”¹³/₁₆x23”⁵/₈
LST 66RT Earth Rettificato

07
1040




30x30 - 11”¹³/₁₆x11”¹³/₁₆
LST 665N Mos. 5x5
Earth

10
3115




30x60 - 11”¹³/₁₆x23”⁵/₈
LST 664N Mattoncino Earth

04
3130



30x60 - 11”¹³/₁₆x23”⁵/₈
LST 668N Muretto Circle Earth

04
3150



30x34 - 11”¹³/₁₆x13”³/₈
LST 667N Esagona
Circle Earth

06
3160



35x40 - 13”³/₄x15”³/₄
LST 669N Nest Earth/Almond

04
3150



cm. 60x120
inch 23”⁵/₈x47”¹/₄

cm. 60x90
inch 23”⁵/₈x35”⁷/₁₆

cm. 60x60
inch 23”⁵/₈x23”⁵/₈



60x120 - 23”⁵/₈x47”¹/₄
LST 69RT Earth 20 MM Rettificato

01
1125



60x90 - 23”⁵/₈x35”⁷/₁₆
LST 669R Earth 20 MM Rettificato

01
1120



60x60 - 23”⁵/₈x23”⁵/₈
LST 660R Earth 20 MM Rettificato

02
1115

DOWNLOAD
TECHNICAL
FEATURES



NATURAL



20 MM



GRAVEL

09315
PORCELAIN
TILES

HD
HIGH DEFINITION



THICKNESS
9
MM

cm. 100x100
inch 39³/₈x39³/₈

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 60x60
inch 23⁵/₈x23⁵/₈

cm. 30x60
inch 11¹³/₁₆x23⁵/₈



60x120 - 23⁵/₈x47¹/₄
LST 12RT Gravel Rettificato

02
1075




60x120 - 23⁵/₈x47¹/₄
LST 15RT Struttura Track Gravel Rettificato

02
1085



60x90 - 23⁵/₈x35⁷/₁₆
LST 11RT Gravel Rettificato

02
1075




30x60 - 11¹³/₁₆x23⁵/₈
LST 16RT Gravel Rettificato

07
1040



100x100 - 38³/₈x38³/₈
LST 101R Gravel Rettificato

02
1090




30x30 - 11¹³/₁₆x11¹³/₁₆
LST 115N Mos. 5x5 Gravel

10
3115




30x60 - 11¹³/₁₆x23⁵/₈
LST 114N Mattoncino Gravel

04
3130



30x34 - 11¹³/₁₆x13³/₈
LST 117N Esagona Circle Gravel

06
3160



30x60 - 11¹³/₁₆x23⁵/₈
LST 118N Muretto Circle Gravel

04
3150




60x60 - 23⁵/₈x23⁵/₈
LST 10RT Gravel Rettificato

03
1065



100x100 - 38³/₈x38³/₈
LST 101AS Gravel Antislip Rettificato

02
1090



30x60 - 11¹³/₁₆x23⁵/₈
LST 16AS Gravel Antislip Rettificato

07
1040

OUT
WALK

Porcelain
slabs

THICKNESS
20
MM

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 100x100
inch 39³/₈x39³/₈

cm. 60x60
inch 23⁵/₈x23⁵/₈



100x100 - 39³/₈x39³/₈
LST 121R Gravel 20 MM Rettificato

01
1135



60x120 - 23⁵/₈x47¹/₄
LST 19RT Gravel 20 MM Rettificato

01
1125



60x90 - 23⁵/₈x35⁷/₁₆
LST 169R Gravel 20 MM Rettificato

01
1120



60x60 - 23⁵/₈x23⁵/₈
LST 160R Gravel 20 MM Rettificato

02
1115

DOWNLOAD
TECHNICAL
FEATURES



20 MM



CARBON

09315
PORCELAIN
TILES

HD
HIGH DEFINITION



THICKNESS
9
MM

cm. 100x100
inch 39³/₈x39³/₈

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 60x60
inch 23⁵/₈x23⁵/₈

cm. 30x60
inch 11¹³/₁₆x23⁵/₈



60x120 - 23⁵/₈x47¹/₄
LST 22RT Carbon Rettificato

02
1075



60x120 - 23⁵/₈x47¹/₄
LST 25RT Strutturato Track Carbon Rettificato

02
1095



60x90 - 23⁵/₈x35⁷/₁₆
LST 21RT Carbon Rettificato

02
1075




30x60 - 11¹³/₁₆x23⁵/₈
LST 26RT Carbon Rettificato

07
1040



100x100 - 39³/₈x39³/₈
LST 102R Carbon Rettificato

02
1090




30x30 - 11¹³/₁₆x11¹³/₁₆
LST 225N Mos. 5x5
Carbon

10
3115



30x60 - 11¹³/₁₆x23⁵/₈
LST 224N Mattoncino Carbon

04
3130



30x34 - 11¹³/₁₆x13³/₈
LST 227N Esagona
Circle Carbon

06
3160



30x60 - 11¹³/₁₆x23⁵/₈
LST 228N Muretta Circle Carbon

04
3150



60x60 - 23⁵/₈x23⁵/₈
LST 20RT Carbon Rettificato

03
1065

OUT
WALK

Porcelain
slabs

THICKNESS
20
MM

cm. 60x120
inch 23⁵/₈x47¹/₄

cm. 60x90
inch 23⁵/₈x35⁷/₁₆

cm. 100x100
inch 39³/₈x39³/₈

cm. 60x60
inch 23⁵/₈x23⁵/₈



100x100 - 39³/₈x39³/₈
LST 122R Carbon 20 MM Rettificato

01
1135



60x120 - 23⁵/₈x47¹/₄
LST 29RT Carbon 20 MM Rettificato

01
1125



60x90 - 23⁵/₈x35⁷/₁₆
LST 269R Carbon 20 MM Rettificato

01
1120



60x60 - 23⁵/₈x23⁵/₈
LST 260R Carbon 20 MM Rettificato

02
1115

DOWNLOAD
TECHNICAL
FEATURES



NATURAL



20 MM