

# WALNUT



THICKNESS 9.5 MM cm. 26x160 inch 10 1/4 x 63 3/4

THICKNESS 9 MM cm. 30x120 inch 11 1/3 x 47 1/4

cm. 20x120 inch 7 7/8 x 47 1/4

cm. 60x120 inch 23 5/8 x 47 1/4

cm. 20x90 inch 7 7/8 x 35 7/16

cm. 10x60 inch 3 15/16 x 23 5/8



**Stucchi consigliati**  
Recommended grouts

KERAKOLL	31
MAPEI	135



26x160 - 10 1/4 x 63 3/4  
NDW 56RT Walnut Rett. **03** **1115**



10x60 - 3 15/16 x 23 5/8  
NDW 560RT Walnut Rett. **12** **1095**



30x120 - 11 1/3 x 47 1/4  
NDW 53RT Walnut Rett. **03** **1100**



20x90 - 7 7/8 x 35 7/16  
NDW 52RT Walnut Rett. **06** **1060**



20x120 - 7 7/8 x 47 1/4  
NDW 51RT Walnut Rett. **04** **1100**



20x120 - 7 7/8 x 47 1/4  
NDW 51AS Walnut Antislip Rett. **04** **1100**




30x120 - 11 1/3 x 47 1/4  
NDW 591R Spina Walnut DX/SX Rett. **04** **1125**



60x120 - 23 5/8 x 47 1/4  
NDW 592R Bacchette Walnut Rett. **02** **1110**




35x40 - 13 3/4 x 15 3/4  
LST 449N Nest Clay / Walnut **04** **3150**



30x30 - 11 1/3 x 11 1/3  
NDW 554N Mos. 5x5 Walnut **10** **3115**



29.5x22.6 - 11 5/8 x 8 7/8  
NDW 002N Esagona 3D Walnut/Blonde/Brown **10** **3140**



35x40 - 13 3/4 x 15 3/4  
NDW 557N Esagona Bacchette Walnut **04** **3150**

THICKNESS 20 MM cm. 30x180 inch 11 1/3 x 70 7/8

cm. 30x120 inch 11 1/3 x 47 1/4

cm. 60x120 inch 23 5/8 x 47 1/4

cm. 60x60 inch 3 15/16 x 23 5/8



30x180 - 11 1/3 x 70 7/8  
NDW 518R Walnut 20MM Rett. **01** **1145**



30x120 - 11 1/3 x 47 1/4  
NDW 530R Walnut 20MM Rett. **02** **1135**



60x120 - 23 5/8 x 47 1/4  
NDW 542R Bacchette Walnut 20MM Rett. **01** **1135**



60x60 - 23 5/8 x 23 5/8  
NDW 546R Bacchette Walnut 20MM Rett. **02** **1120**

DOWNLOAD TECHNICAL FEATURES



NATURAL



ANTISLIP



20 MM



# BLONDE



THICKNESS 9.5 MM cm. 26x160 inch 10 1/4 x 63 3/4

THICKNESS 9 MM cm. 30x120 inch 11 1/3 x 47 1/4

cm. 20x120 inch 7 7/8 x 47 1/4

cm. 60x120 inch 23 5/8 x 47 1/4

cm. 20x90 inch 7 7/8 x 35 7/16

cm. 10x60 inch 3 15/16 x 23 5/8



26x160 - 10 1/4 x 63 3/4  
NDW 36RT Blonde Rett. 1115



10x60 - 3 15/16 x 23 5/8  
NDW 360RT Blonde Rett. 1095



30x120 - 11 1/3 x 47 1/4  
NDW 33RT Blonde Rett. 1100



20x90 - 7 7/8 x 35 7/16  
NDW 32RT Blonde Rett. 1060



20x120 - 7 7/8 x 47 1/4  
NDW 31RT Blonde Rett. 1100



20x120 - 7 7/8 x 47 1/4  
NDW 31AS Blonde Antislip Rett. 1100



30x120 - 11 1/3 x 47 1/4  
NDW 391R Spina Blonde DX/SX Rett. 1125




60x120 - 23 5/8 x 47 1/4  
NDW 392R Bacchette Blonde Rett. 1110



30x30 - 11 1/3 x 11 1/3  
NDW 334N Mos. 5x5 Blonde 3115



29.5x22.6 - 11 5/8 x 8 7/8  
NDW 002N Esagona 3D Walnut/Blonde/Brown 3140



35x40 - 13 3/4 x 15 3/4  
NDW 337N Esagona Bacchette Blonde 3150

THICKNESS 20 MM cm. 30x180 inch 11 1/3 x 70 7/8

cm. 30x120 inch 11 1/3 x 47 1/4

cm. 60x120 inch 23 5/8 x 47 1/4

cm. 60x60 inch 3 15/16 x 23 5/8




30x180 - 11 1/3 x 70 7/8  
NDW 318R Blonde 20MM Rett. 1145



30x120 - 11 1/3 x 47 1/4  
NDW 330R Blonde 20MM Rett. 1135



60x120 - 23 5/8 x 47 1/4  
NDW 342R Bacchette Blonde 20MM Rett. 1135



60x60 - 23 5/8 x 23 5/8  
NDW 346R Bacchette Blonde 20MM Rett. 1120

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	30
MAPEI	188

DOWNLOAD TECHNICAL FEATURES



NATURAL



ANTISLIP



20 MM

# ALMOND



# BROWN



**Stucchi consigliati**  
Recommended grouts

KERAKOLL	43	
MAPEI	132	

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	28	
MAPEI	136	



26x160 - 10"1/4x63"  
NDW 26RT Almond Rett.



10x60 - 3"15/16x23"5/8   
NDW 260RT Almond Rett.



30x120 - 11"13/16x47"1/4   
NDW 23RT Almond Rett.



20x120 - 7"7/8x47"1/4   
NDW 21RT Almond Rett.



26x160 - 10"1/4x63"  
NDW 66RT Brown Rett.



10x60 - 3"15/16x23"5/8   
NDW 660RT Brown Rett.




30x120 - 11"13/16x47"1/4   
NDW 63RT Brown Rett.




20x120 - 7"7/8x47"1/4   
NDW 61RT Brown Rett.




30x30 - 11"13/16x11"13/16   
NDW 224N Mos. 5x5 Almond




30x30 - 11"13/16x11"13/16   
NDW 664N Mos. 5x5 Brown




29,5x22,6 - 11"5/8x8"7/8   
NDW 002N Esagona 3D   
Walnut/Blonde/Brown



35x40 - 13"3/4x15"3/4   
NDW 227N Esagona Bacchette Almond



35x40 - 13"3/4x15"3/4   
LST 669N Nest Earth / Almond



35x40 - 13"3/4x15"3/4   
LST 559N Nest Taupe / Brown

# GLACIER



**Stucchi consigliati**  
Recommended grouts

KERAKOLL	05
MAPEI	111



26x160 - 10<sup>1</sup>/<sub>4</sub>x63"  
NDW 86RT Glacier Rett. **03**  
**1115**



10x60 - 3<sup>15</sup>/<sub>16</sub>x23<sup>5</sup>/<sub>8</sub>"  
NDW 860RT Glacier Rett. **12**  
**1095**



30x120 - 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>"  
NDW 83RT Glacier Rett. **03**  
**1100**



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"  
NDW 81RT Glacier Rett. **04**  
**1100**



30x30 - 11<sup>13</sup>/<sub>16</sub>x11<sup>13</sup>/<sub>16</sub>"  
NDW 884N Mos. 5x5 Glacier **10**  
**3115**





# PEPPER



THICKNESS 9.5 MM cm. 26x160 inch 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>8</sub>"

THICKNESS 9 MM cm. 30x120 inch 11<sup>1</sup>/<sub>3</sub>x47<sup>1</sup>/<sub>4</sub>"

cm. 20x120 inch 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"

cm. 60x120 inch 23<sup>5</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"

cm. 20x90 inch 7<sup>7</sup>/<sub>8</sub>x35<sup>7</sup>/<sub>16</sub>"

cm. 10x60 inch 3<sup>1</sup>/<sub>5</sub>x23<sup>5</sup>/<sub>8</sub>"



**Stucchi consigliati**  
Recommended grouts


KERAKOLL	36
MAPEI	187




26x160 - 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>8</sub>" 03  
NDW 16RT Pepper Rett. 1115



10x60 - 3<sup>1</sup>/<sub>5</sub>x23<sup>5</sup>/<sub>8</sub>" 12  
NDW 160RT Pepper Rett. 1095



30x30 - 11<sup>1</sup>/<sub>3</sub>x11<sup>1</sup>/<sub>3</sub>" 10  
NDW 114N Mos. 5x5 Pepper 3115



40x34.5 - 15<sup>3</sup>/<sub>4</sub>x13<sup>9</sup>/<sub>16</sub>" 04  
NDW 117N Esagona Bacchette Pepper 3150



30x120 - 11<sup>1</sup>/<sub>3</sub>x47<sup>1</sup>/<sub>4</sub>" 03  
NDW 13RT Pepper Rett. 1100



20x90 - 7<sup>7</sup>/<sub>8</sub>x35<sup>7</sup>/<sub>16</sub>" 06  
NDW 12RT Pepper Rett. 1060



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>" 04  
NDW 11RT Pepper Rett. 1100



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>" 04  
NDW 11AS Pepper Antislip Rett. 1100

THICKNESS 20 MM cm. 30x180 inch 11<sup>1</sup>/<sub>3</sub>x70<sup>7</sup>/<sub>8</sub>"

cm. 30x120 inch 11<sup>1</sup>/<sub>3</sub>x47<sup>1</sup>/<sub>4</sub>"

cm. 60x120 inch 23<sup>5</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"

cm. 60x60 inch 3<sup>1</sup>/<sub>5</sub>x23<sup>5</sup>/<sub>8</sub>"



30x180 - 11<sup>1</sup>/<sub>3</sub>x70<sup>7</sup>/<sub>8</sub>" 01  
NDW 118R Pepper 20MM Rett. 1145



30x120 - 11<sup>1</sup>/<sub>3</sub>x47<sup>1</sup>/<sub>4</sub>" 02  
NDW 130R Pepper 20MM Rett. 1135





60x120 - 23<sup>5</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>" 01  
NDW 142R Bacchette Pepper 20MM Rett. 1135




60x60 - 23<sup>5</sup>/<sub>8</sub>x23<sup>5</sup>/<sub>8</sub>" 02  
NDW 146R Bacchette Pepper 20MM Rett. 1120

DOWNLOAD TECHNICAL FEATURES

 NATURAL

 ANTISLIP

 20 MM

# ALMOND FLAMED

THICKNESS  
**9,5**  
MM  
cm. 26x160  
inch 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>"

THICKNESS  
**9**  
MM  
cm. 20x120  
inch 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"



26x160 - 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>"  
NDW 206RT Almond Flamed Rett. **1115**



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"  
NDW 201RT Almond Flamed Rett. **1100**

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	43	
MAPEI	132	

DOWNLOAD  
TECHNICAL  
FEATURES



NATURAL  
FLAMED

# PEPPER FLAMED

09315  
PORCELAIN  
TILES

H  
HIGH DEFINITION



IN <sup>9</sup>MM OUT <sup>20</sup>MM



26x160 - 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>"  
NDW 106RT Pepper Flamed Rett. **1115**



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"  
NDW 101RT Pepper Flamed Rett. **1100**

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	36	
MAPEI	187	

DOWNLOAD  
TECHNICAL  
FEATURES



NATURAL  
FLAMED

THICKNESS  
**20**  
MM  
cm. 30x120  
inch 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>"



30x120 - 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>"  
NDW 132R Pepper Flamed 20MM Rett. **1135**

OUT  
WALK  
Porcelain  
slabs

DOWNLOAD  
TECHNICAL  
FEATURES





20MM  
FLAMED

# BLONDE FLAMED

THICKNESS  
**9,5 MM**  
cm. 26x160  
inch 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>"

THICKNESS  
**9 MM**  
cm. 20x120  
inch 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>"

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	30	
MAPEI	188	



26x160 - 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>" **03**  
NDW 306RT Blonde Flamed Rett. **1115**

DOWNLOAD  
TECHNICAL  
FEATURES



NATURAL  
FLAMED



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>" **04**  
NDW 301RT Blonde Flamed Rett. **1100**

THICKNESS  
**20 MM**  
cm. 30x120  
inch 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>"

**OUT WALK** **Porcelain slabs**

30x120 - 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>" **02**  
NDW 332R Blonde Flamed 20MM Rett. **1135**

DOWNLOAD  
TECHNICAL  
FEATURES



20MM  
FLAMED

# WALNUT FLAMED



09315  
PORCELAIN  
TILES

HD  
HIGH DEFINITION

IN 9 MM  
OUT 20 MM

IN 9 MM  
OUT 20 MM

**Stucchi consigliati**  
Recommended grouts

KERAKOLL	31	
MAPEI	135	



26x160 - 10<sup>1</sup>/<sub>4</sub>x63<sup>3</sup>/<sub>4</sub>" **03**  
NDW 506RT Walnut Flamed Rett. **1115**



20x120 - 7<sup>7</sup>/<sub>8</sub>x47<sup>1</sup>/<sub>4</sub>" **04**  
NDW 501RT Walnut Flamed Rett. **1100**

THICKNESS  
**20 MM**  
cm. 30x120  
inch 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>"

**OUT WALK** **Porcelain slabs**

30x120 - 11<sup>13</sup>/<sub>16</sub>x47<sup>1</sup>/<sub>4</sub>" **02**  
NDW 532R Walnut Flamed 20MM Rett. **1135**

DOWNLOAD  
TECHNICAL  
FEATURES



20MM  
FLAMED