

9.5 mm

cm. 100x100	cm. 60x120	cm. 60x90	cm. 60x60	cm. 30x60	cm. 10x30
inch. 39"3/8x39"3/8	inch. 23"5/8x47"1/4	inch. 23"5/8x35"7/16	inch. 23"5/8x23"5/8	inch. 11"13/16x23"5/8	inch. 3"15/16x11"13/16



100x100 - 39"3/8x39"3/8
TRM 108R Milk Rettificato



60x90 - 23"5/8x35"7/16
TRM 89RT Milk Rettificato



30x30 - 11"13/16x11"13/16
TRM 885N Mos. 5x5 Milk



30x30 - 11"13/16x11"13/16
TRM 888N Trama Milk/Storm




30x30 - 11"13/16x11"13/16
TRM 884N Textile Milk




28x28 - 11"x11"
TRM 887N Lisca Milk



30x31,5 - 11"13/16x12"3/8
TRM 886N Esagona Milk



30x60 - 11"13/16x23"5/8
TRM 889S Muretto Milk



60x120 - 23"5/8x47"1/4
TRM 82RT Milk Rettificato



10x30 - 3"15/16x11"13/16
TRM 81RT Milk Rettificato



60x60 - 23"5/8x23"5/8
TRM 80RT Milk Rettificato



30x60 - 11"13/16x23"5/8
TRM 86RT Milk Rettificato



60x120 - 23"5/8x47"1/4
TRM 85RT Struttura Mesh Milk Rettificato



60x120 - 23"5/8x47"1/4
TRM 82SR Milk Spazzolato Rettificato




100x100 - 39"3/8x39"3/8
TRM 108S Milk Spazzolato Rettificato



30x60 - 11"13/16x23"5/8
TRM 83RT Struttura Mesh Milk Rett.



60x60 - 23"5/8x23"5/8
TRM 80SR Milk Spazzolato Rett.



30x60 - 11"13/16x23"5/8
TRM 889S Muretto Milk Spazzolato

ANSI A 137.1	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
V3	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 5	> 36	4	5
	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	-	3	3

15 230	01 670	01 676	01 676
TRM B80K	TRM G81K	TRM G82K	TRM G85K

* 6 SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEIN LIEFERZEIT /
SEMAINES DE LIVRAISON



	cm. 100x100 inch. 39"3/8x39"3/8	cm. 60x120 inch. 23"5/8x47"1/4	cm. 60x90 inch. 23"5/8x35"7/16	cm. 60x60 inch. 23"5/8x23"5/8	cm. 30x60 inch. 11"13/16x23"5/8	cm. 10x30 inch. 3"15/16x11"13/16
--	---	--	--	---	---	--




100x100 - 39"3/8x39"3/8
TRM 101R Grey Rettificato



60x90 - 23"5/8x35"7/16
TRM 19RT Grey Rettificato



30x30 - 11"13/16x11"13/16
TRM 115N Mos. 5x5 Grey



30x30 - 11"13/16x11"13/16
TRM 118N Trama Grey/Storm



30x30 - 11"13/16x11"13/16
TRM 114N Textile Grey



28x28 - 11"x11"
TRM 117N Lisca Grey



30x31,5 - 11"13/16x12"3/8
TRM 116N Esagona Grey



30x60 - 11"13/16x23"5/8
TRM 119N Muretto Grey

 Battiscopa 7x60	 Gradino Elle Rettificato 33x120x4	 Angolo DX Rettificato 33x120x4	 Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B10K	TRM G11K	TRM G12K	TRM G15K

* **6** SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEIN LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	-	3	3



60x120 - 23"5/8x47"1/4
TRM 15RT Struttura Mesh Grey Rettificato



30x60 - 11"13/16x23"5/8
TRM 83RT Struttura Mesh Grey Rett.

Grey SPAZZOLATO



60x120 - 23"5/8x47"1/4
TRM 12SR Grey Spazzolato Rettificato



60x60 - 23"5/8x23"5/8
TRM 10SR Grey Spazzolato Rett.



30x60 - 11"13/16x23"5/8
TRM 119S Muretto Grey Spazzolato



100x100 - 39"3/8x39"3/8
TRM 101S Grey Spazzolato Rettificato

	cm. 100x100 inch. 39"3/8x39"3/8	cm. 60x120 inch. 23"5/8x47"1/4	cm. 60x90 inch. 23"5/8x35"7/16	cm. 60x60 inch. 23"5/8x23"5/8	cm. 30x60 inch. 11"13/16x23"5/8	cm. 10x30 inch. 3"15/16x11"13/16
--	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------	------------------------------------	-------------------------------------



100x100 - 39"3/8x39"3/8
TRM 102R Storm Rettificato

02
1100



10x30 - 3"15/16x11"13/16
TRM 21RT Storm Rettificato

28
1075



60x120 - 23"5/8x47"1/4
TRM 22RT Storm Rettificato

02
1085



60x90 - 23"5/8x35"7/16
TRM 29RT Storm Rettificato

02
1080


60x90 - 23"5/8x35"7/16
TRM 29AS Storm Antislip Rettificato

02
1085




30x30 - 11"13/16x11"13/16
TRM 225N Storm

10
3115



30x30 - 11"13/16x11"13/16
TRM 228N Trama Storm/Grey

10
3145




30x30 - 11"13/16x11"13/16
TRM 224N Textile Storm

10
3120



28x28 - 11"x11"
TRM 227N Lisca Storm

10
3135



30x31,5 - 11"13/16x12"3/8
TRM 226N Esagona Storm

10
3160



30x60 - 11"13/16x23"5/8
TRM 229N Muretto Storm

04
3130

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B20K	TRM G21K	TRM G22K	TRM G25K

* 6 SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEIN LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 7	-	5	5

Storm SPAZZOLATO



60x120 - 23"5/8x47"1/4
TRM 225R Storm Spazzolato Rettificato

02
1115



60x60 - 23"5/8x23"5/8
TRM 205R Storm Spazzolato Rett.

03
1105



100x100 - 39"3/8x39"3/8
TRM 102S Storm Spazzolato Rettificato

02
1125



30x60 - 11"13/16x23"5/8
TRM 229S Muretto Storm Spazzolato

04
3140



	cm. 100x100 inch. 39"3/8x39"3/8	cm. 60x120 inch. 23"5/8x47"1/4	cm. 60x90 inch. 23"5/8x35"7/16	cm. 60x60 inch. 23"5/8x23"5/8	cm. 30x60 inch. 11"13/16x23"5/8	cm. 10x30 inch. 3"15/16x11"13/16
--	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------	------------------------------------	-------------------------------------



100x100 - 39"3/8x39"3/8
TRM 104R Honey Rettificato


02
1100



60x90 - 23"5/8x35"7/16
TRM 49RT Honey Rettificato
60x90 - 23"5/8x35"7/16
TRM 49AS Honey Antislip Rettificato



30x30 - 11"13/16x11"13/16
TRM 445N Mos. 5x5 Honey



30x30 - 11"13/16x11"13/16
TRM 448N Trama Honey/Caramel



30x60 - 11"13/16x23"5/8
TRM 449N Muretto Honey

04
3130



60x120 - 23"5/8x47"1/4
TRM 42RT Honey Rettificato

02
1085




10x30 - 3"15/16x11"13/16
TRM 41RT Honey Rettificato

28
1075



60x60 - 23"5/8x23"5/8
TRM40RT Honey Rettificato

03
1065



30x60 - 11"13/16x23"5/8
TRM 46RT Honey Rettificato

07
1035



30x30 - 11"13/16x11"13/16
TRM 444N Textile Honey



28x28 - 11"x11"
TRM 447N Lisca Honey

10
3135



30x31,5 - 11"13/16x12"3/8
TRM 446N Esagona Honey

10
3160

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B40K	TRM G41K	TRM G42K	TRM G45K

* 6 SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEN LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 7	-	5	5



60x120 - 23"5/8x47"1/4
TRM 45RT Struttura Mesh Honey Rettificato

02
1095



30x60 - 11"13/16x23"5/8
TRM 43RT Struttura Mesh Honey Rett.

06
1045

Honey SPAZZOLATO



60x120 - 23"5/8x47"1/4
TRM 42SR Honey Spazzolato Rettificato

02
1115



60x60 - 23"5/8x23"5/8
TRM 40SR Honey Spazzolato Rett.

03
1105



30x60 - 11"13/16x23"5/8
TRM 449S Muretto Honey Spazzolato

04
3140



100x100 - 39"3/8x39"3/8
TRM 104S Honey Spazzolato Rettificato

02
1125



THERMAE Caramel

	cm. 100x100 inch. 39"3/8x39"3/8	cm. 60x120 inch. 23"5/8x47"1/4	cm. 60x90 inch. 23"5/8x35"7/16	cm. 60x60 inch. 23"5/8x23"5/8	cm. 30x60 inch. 11"13/16x23"5/8	cm. 10x30 inch. 3"15/16x11"13/16
--	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------	------------------------------------	-------------------------------------



100x100 - 39"3/8x39"3/8
TRM 103R Caramel Rettificato

02
1100



10x30 - 3"15/16x11"13/16
TRM 31RT Caramel Rettificato

28
1075



60x120 - 23"5/8x47"1/4
TRM 32RT Caramel Rettificato

02
1085




R11
A+B+C

60x90 - 23"5/8x35"7/16
TRM 39RT Caramel Rettificato

02
1080


60x90 - 23"5/8x35"7/16
TRM 39AS Caramel Antislip Rettificato

02
1085




30x30 - 11"13/16x11"13/16
TRM 333N Mos. 5x5 Caramel

10
8115



30x30 - 11"13/16x11"13/16
TRM 338N Trama Caramel/Honey

10
8145



30x30 - 11"13/16x11"13/16
TRM 334N Textile Caramel

10
8120



28x28 - 11"x11"
TRM 337N Lisca Caramel

10
8185



30x31,5 - 11"13/16x12"3/8
TRM 336N Esagona Caramel

10
8160



30x60 - 11"13/16x23"5/8
TRM 339N Muretto Caramel

04
8180

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B30K	TRM G31K	TRM G32K	TRM G35K

* 6 SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHE LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 7	-	5	5

Caramel SPAZZOLATO



60x120 - 23"5/8x47"1/4
TRM 32SR Caramel Spazzolato Rettificato

02
1115



60x60 - 23"5/8x23"5/8
TRM 30SR Caramel Spazzolato Rett.

03
1105



30x60 - 11"13/16x23"5/8
TRM 339S Muretto Caramel Spazzolato

04
8140



100x100 - 39"3/8x39"3/8
TRM 103S Caramel Spazzolato Rettificato

02
1125




THERMAE 20MM



cm. 100x100
inch. 39”³/₈x39”³/₈

cm. 60x120
inch. 23”⁵/₈x47”¹/₄

cm. 60x90
inch. 23”⁵/₈x35”⁷/₁₆



Honey




Caramel



Storm

TECHNICAL		DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
OUT WALK	20 MM	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm³	≥ 8	5	5	 V3

COLOR				
	100x100 39” ³ / ₈ x39” ³ / ₈	60x120 23” ⁵ / ₈ x47” ¹ / ₄	60x90 23” ⁵ / ₈ x35” ⁷ / ₁₆	Modulo 3 Formati
	01 1140	01 1130	01 1125	1cp 1135
Honey	TRM 124R	TRM 462R	TRM 469R	TRM M433
Caramel	TRM 123R	TRM 362R	TRM 369R	TRM M333
Storm	TRM 122R	TRM 262R	TRM 269R	TRM M233

